

SINCE 1978



LEADING LIGHT

# Product Datasheet

vkleadinglight.gr

Amelie

## VK/04695/CG/W



Champagne Gold. 3000K. 18W. 2044lm. AC220-240V. LED Bridgelux.  
Driver Xing Yuan. Table light. -20°C → 45°C. 50.000hrs. Clicks 20.000.  
Dimmable No. CRI>90. With on/off switch. Aluminum+PC. IP20

IP20



### Dimensions



### Gallery





### Downloads




VK Leading Light

Since 1978

Technical Specifications	
Kelvin	3000K
Power	18W
Voltage	AC220-240V
Extra	With ON/OFF switch
Fitting	Table
Type	Light
Safety class	
Light source	Bridgelux
IP Rating	<b>IP20</b>
CRI	CRI>90
Dimmable	
Lifetime	50.000hrs
Clicks	20,000
Driver	Xing Yuan
Working temperature	-20°C-45°C
PAGE	88 New Products 2026
NICKNAME	Amelie

Physical Specifications	
Family	Amelie
Color	Champagne gold
Material	Aluminum+PC
Width	ø30cm
Length	ø30cm
Height	40.7cm (7.3cm height of lampshade)
Net weight of product (kg)	4.70kg
Gross weight with inner box (kg)	5.25kg
Width (inner box)	35cm
Length (inner box)	45.6cm
Height (inner box)	35.3cm

Illumination Data	
Lumen	2044lm
Lighting direction	

Packing Info	
Pcs/carton	2pcs

Certification & Warranty	
Guarantee	2 years