

SINCE 1978



Product Datasheet

LEADING LIGHT

vkleadinglight.gr

VK/04734/PE/B/W/4

Diva


Black. 3000K. 27W. 2195lm. AC220-240V. 120°. LED Lumileds. Driver Eaglerise. Ceiling/pendant. -20°C → 50°C. 50.000hrs. Dimmable No. CRI>80. Aluminum. IP20



IP20



Dimensions



Gallery





INDICAZIONE: Questo prodotto è conforme ai requisiti della direttiva CE. Per informazioni sui requisiti, visitate il sito www.vk.com. ©2024 VK Leading Light. Tutti i diritti riservati.

Downloads




VK Leading Light

Since 1978

Technical Specifications	
Kelvin	3000K
Power	27W
Voltage	AC220-240V
Fitting	Pendant
Type	Light
Safety class	
Light source	Lumileds
IP Rating	IP20
CRI	CRI>80
Dimmable	
Lifetime	50.000hrs
Clicks	40,000
Driver	Eaglerise
Working temperature	-20°C-50°C
PAGE	188 New Products 2026
NICKNAME	Diva

Physical Specifications	
Family	Diva
Color	Black
Material	Aluminum
Width	ø14cm
Length	95cm
Height	9.5cm + 4cm (+120cm of cable)
Net weight of product (kg)	2.65kg
Gross weight with inner box (kg)	3.4kg
Width (inner box)	22cm
Length (inner box)	135cm
Height (inner box)	15cm

Illumination Data

Lumen	2195lm
Beam angle	120°
Lighting direction	

Packing Info

Pcs/carton	1pc
------------	-----

Certification & Warranty

Guarantee	3 years
-----------	---------

Energy Label



VK LEADING LIGHT
VK/04734/PE/B/W/4

A	▶
B	▶
C	▶
D	▶
E	▶
F	▶
G	▶

27
kWh/1000h



2019/2015