

SINCE 1978



LEADING LIGHT

# Product Datasheet

vkleadinglight.gr

Void

## VK/02289/AN/W/21


Anthracite. 3000K. 8.5W. 750lm. AC100-277V. LED Lumileds 4014. 174°. 30.000hrs. Dimmable No. -20°C→ 45°C. Outdoor Ground. CRI>80. 21cm. Die-casting aluminum+Glass. IP65




IP65




### Dimensions



### Gallery




### Downloads




VK Leading Light

Since 1978

Technical Specifications	
Kelvin	3000K
Power	8.5W
Voltage	AC100-277V
Fitting	Outdoor ground
Type	Light
Safety class	⚡
Light source	Lumileds 4014
IP Rating	<b>IP65</b>
CRI	CRI>80
Dimmable	
Lifetime	30.000hrs
Clicks	25,000
Working temperature	-20°C-45°C
PAGE	350 New Products 2026
NICKNAME	Void

Physical Specifications	
Rotation	30°
Family	Void
Color	Anthracite
Material	Die-casting aluminum + glass
Width	21cm
Length	8.1cm
Height	21cm
Net weight of product (kg)	0.9kg
Gross weight with inner box (kg)	1.13kg
Width (inner box)	14cm
Length (inner box)	27cm
Height (inner box)	25.5cm

## Illumination Data

Lumen	750lm
Beam angle	174°
Lighting direction	

## Packing Info

Pcs/carton	4pcs
------------	------

## Certification &amp; Warranty

Guarantee	3 years
-----------	---------

## Energy Label



VK LEADING LIGHT  
VK/02289/AN/W/21

A	▶
B	▶
C	▶
D	▶
E	▶
F	▶
G	◀

9 kWh/1000h



2019/2015