

SINCE 1978



LEADING LIGHT

Product Datasheet

vkleadinglight.gr

Tree

VK/02277/RB/W/39


Rust Brown. 3000K. 3W. 213lm. 32.7°. AC220-240V, DC24V. LED Sanan. 50.000hrs. Dimmable No. -20°C→ 60°C. Suitable for tree. CRI>90. Aluminum. IP65



IP65




Dimensions



Gallery






Downloads




VK Leading Light

Since 1978

Technical Specifications	
Kelvin	3000K
Power	3W
Voltage	AC220-240V
Extra	lashing strap included
Fitting	Suitable for tree
Type	Light
Safety class	
Light source	Sanan
IP Rating	IP65
CRI	CRI>90
Dimmable	
Lifetime	50.000hrs
Clicks	10,000
Working temperature	-20°C-60°C
PAGE	364 New Products 2026
NICKNAME	Tree

Physical Specifications	
Adjustable	
Family	Tree
Color	Rust brown
Material	Aluminum
Width	ø3.9cm
Length	ø3.9cm
Height	7.5cm
Gross weight with inner box (kg)	0.31kg
Width (inner box)	11cm
Length (inner box)	11cm
Height (inner box)	7.5cm

Illumination Data

Lumen	213lm
Beam angle	32.7°
Lighting direction	


Packing Info

Pcs/carton	20pcs
------------	-------

Certification & Warranty

Guarantee	3 years
-----------	---------

Energy Label



ENERGY

VK LEADING LIGHT
VK/02277/RB/W/39

A
B
C
D
E
F
G

3
kWh/1000h

2019/2015