

SINCE 1978




Product Datasheet

LEADING LIGHT

vkleadinglight.gr

Rose

VK/04731/RB/WW




Rust Brown. 2700K. 3 x 4.5W. 3 x 196lm. DC24V. LED Bridgelux. 50.000hrs. 90°. Dimmable No. -20°C → 45°C. Outdoor ground. CRI>90. Aluminum. IP65

IP65



Dimensions



Gallery



Downloads




VK Leading Light

Since 1978

Technical Specifications	
Kelvin	2700K
Power	3 x 4.5W
Voltage	DC24V
Fitting	Outdoor ground
Type	Light
Safety class	
Light source	Bridgelux
IP Rating	IP65
CRI	CRI>90
Dimmable	
Lifetime	50.000hrs
Working temperature	-20°C-45°C
PAGE	382 New Products 2026
NICKNAME	Rose

Physical Specifications	
Family	Rose
Color	Rust brown
Material	Aluminum
Width	ø14cm
Length	ø14cm
Height	80cm (+21cm of spike)

Illumination Data	
Lumen	3 x 196lm
Beam angle	90°
Lighting direction	

Packing Info	
Pcs/carton	2pcs

Certification & Warranty

Guarantee	3 years
-----------	---------

Energy Label

ENERG

VK LEADING LIGHT
VKJ04731/RB/WW

A
B
C
D
E
F
G

4
kWh/1000h

2019/2015