


# CALM

## 646B-G05X1A-01 Wall Bracket CALM IP66 E27 LED Filament 6W 800lm 2700K Motion, Twilight up-down White

Calm family is made of resin with IP66, the light is emitted in both directions with the color temperature of 2700K, includes the lamp. It is available in three colors white, gray and black and in two versions with and without sensor, with activation time: 5 sec. to 8 min. It is suitable for lighting outdoor pathways.



### GENERAL DATA

|                   |                      |
|-------------------|----------------------|
| Category          | Surface              |
| Family            | Calm                 |
| Finish            | [01] White           |
| Location          | Outdoor              |
| Installation      | Wall                 |
| Body material     | Resin                |
| Diffuser material | Frosted methacrylate |
| ETIM class        | EC0028g2             |
| EAN               | 8435256535884        |

### LIGHT SOURCES AND BEAMS

|               |                                        |
|---------------|----------------------------------------|
| Sources       | E27 LED Filament 6W max. 800lm 2700K   |
| Lamp included | Yes                                    |
| Beams         | Direct symmetric<br>Indirect symmetric |

### TECHNICAL DATA

|                    |                                              |
|--------------------|----------------------------------------------|
| Dimensions         | Height x Width x Length (mm): 130 x 300 x 85 |
| IP                 | IP66                                         |
| Protection class   | Class II                                     |
| Frequency          | 50/60 Hz                                     |
| Input voltage      | 110-240V AC V                                |
| Auxiliary gear     | Without equipment, not needed                |
| Sensors            | Motion, Twilight                             |
| Weight             | 1.0 Kg                                       |
| Cable outlets      | 1                                            |
| ECORAE category I  | CAT-A                                        |
| ECORAE I           | 0.5                                          |
| Flammable surfaces | Yes                                          |


### NOTES

|                                                                                                                                 |
|---------------------------------------------------------------------------------------------------------------------------------|
| Lamp included                                                                                                                   |
| Protected material against u.v.                                                                                                 |
| With daylight and motion sensor                                                                                                 |
| Adjustable: - Distance: 0>8 m. - Activation time: from 5 sec. to 8 min. - Light intensity: 10 - 2000lux - Detection angle: 100° |
| Luminaire suitable for installation in environments with saline atmosphere                                                      |

# CALM

646B-G05X1A-01 Wall Bracket CALM IP66 E27 LED Filament 6W 800lm 2700K Motion, Twilight up-down White

## RECOMMENDED ACCESSORIES



### 632C-L0506B-01

Lamp LED FILAMENT E27 LED

Bulb 6W 800lm CRI80 2700K 360°

Input voltage 110-240V AC

Frequency 50/60

Wattage (W) 6.0

IP IP20

Protection class Class I

# CALM

646B-G05X1A-01 Wall Bracket CALM IP66 E27 LED Filament 6W 800lm 2700K Motion, Twilight up-down White

## COMPLEMENTARY IMAGES

---



## PRODUCTS OF THE SAME FAMILY

---



Calm